

SHOTGUN
COLLECTION

PCP AIR RIFLE
COLLECTION



www.aselkonarms.com



SCAN TO DOWNLOAD
**GENERAL
CATALOGUE**



We, ASELKON AŞ, are a well established international company that manufactures and exports Hunting, Sporting, and Tactical Military Purpose Shotguns, Pistols, PCP Air Rifles and all spare parts of firearms in accordance with internationally accepted standards, especially to ATF and CIP proof tests, and Country-Specific Firearms Compliance Regulations. We've been actively operating in the firearms sector since 2006 with our vast experience in manufacturing and exporting to more than 50 countries. Our products are highly appreciated in many leading markets in the world.

Thanks to our 40.000 m² fully integrated production facility, with our dynamic, productive and experienced technical staff, we manufacture every parts of guns from raw material to final product in our own facilities without depending on any external factor. In

this way, in every stage of production we manage our quality control perfectly and provide a high level of quality assurance.

As well as our major operations in international markets, we continue to cooperate with government and military forces in delivering diverse projects regarding armored vehicles, missile launcher platforms, crane – machinery and construction industry.

As being one of the leading manufacturers in firearms industry, we constantly improve our product and service quality with the concepts of high automation and flexibility in order to provide better quality products and effective solutions for the needs customers. We always aim the best in quality and increase the customer satisfaction.



Aselkon recoil pads which are made of a mixture of special polyurethane and rubber materials minimize the recoil and provides a comfortable targeting and shooting.


INTERBORED BARREL



Aselkon barrels are standard with our precision drilling, honing and chrome coating process. Aselkon Barrels are designed to increase accuracy, to shoot comfortably and function superbly with both light and heavy loads.

INTERPLUS CHOKE

We engineered the interchangeable InterPro Chokes to maximize the constancy of shot placement through reduced friction that enhances load speeds.



Our proprietary refinements to the ultra-reliable Bruno Civolani "floating bolt" action ensure the Aselkon Shotguns are able to quickly cycle even the lightest 12 gauge loads. Inertia system consists of 3 main parts; bolt mechanism, rotating bolt, and inertia spring.

Thanks to its simple combination, inertia system functions faster and flawlessly. Unlike the gas operated systems, since the burnt powder gas does not contact with the mechanism, system remains clean and requires less maintenance. Aselkon's rotating bolt utilizes our unstoppable Inertia Technology Locking System to ensure positive bolt head lock-up to the breach under all conditions.

inter



Inter Dark Black

Inter Elegant Silver Black



Inter Extra Black



Inter Gray Light



Inter Timber Bronze



Inter Camo Max5

Caliber 12 GA 3"	Chamber 76 mm	Action Kinetic Drive Inertial System Semiautomatic, Rotating Bolt	Barrel Length 61-66-71-76 cm	Barrel Chrome-Lined, 4140 Steel Inter Bored Barrel
---------------------	------------------	--	---------------------------------	---



Choke 5 Pcs 7 cm InterPro Chokes C-IC-M-IM-F	Rib 8 mm / High Rib	Stock Length 340 mm	Weight 2.85± kg	Receiver Options Aluminium Anodized/ Cerakote Coating, Camouflage, Elegant	Stock-Forend Synthetic, Luxury Turkish Walnut, Camouflage, Elegant	Magazine Capacity 4+1x12/76	Safety Trigger Safety	Trigger Guard Special Polyurethane	Trigger Trigger Safety, Automatic Locking System, Anti-Repeat System	Sight Truglo Fiber Optic Sight	Recoil Pad Special Polyurethane Pad
--	---------------------------	------------------------	--------------------	--	--	-----------------------------------	--------------------------	--	--	--------------------------------------	---



Redstone Extra Black



Redsport



Redstone Silver



Redstone Timber Bronze



Redstone Dark Black



Redstone Camo Max5



Caliber
12 GA 3"

Chamber
76 mm

Action
Kinetic Drive Inertial System Semiautomatic, Rotating Bolt

Barrel Length
61-66-71-76 cm

Barrel
Chrome-Lined, 4140 Steel Inter Bored Barrel

Choke	Rib	Stock Length	Weight	Receiver Options	Stock-Forend	Magazine Capacity	Safety	Trigger Guard	Trigger	Sight	Recoil Pad
5 Pcs 7 cm InterPro Chokes C-IC-M-IM-F	8 mm / High Rib	340 mm	2.85± kg	Aluminium Anodized/ Cerakote Coating, Camouflage, Elegant	Synthetic, Luxury Turkish Walnut, Camouflage, Elegant	4+1 / 9+1	Trigger Safety	Reinforced Polymer	Trigger Safety, Automatic Locking System, Anti-Repeat System	Truglo Fiber Optic Sight	Special Polyurethane Pad

X3 X4 X5



X5 Dark Black

X5 Elegant Silver Black



X3 Extra Black



X4 Silver Light



X3 Camo Max5



X4 Silver

Caliber
12 GA 3"

Chamber
76 mm

Action
Kinetic Drive Inertial System Semiautomatic, Rotating Bolt

Barrel Length
61-66-71-76 cm

Barrel
Chrome-Lined, 4140 Steel Inter Bored Barrel



Choke	Rib	Stock Length	Weight	Receiver Options	Stock-Forend	Magazine Capacity	Safety	Trigger Guard	Trigger	Sight	Recoil Pad
5 Pcs 7 cm InterPro Chokes C-IC-M-IM-F	8 mm High Rib	340 mm	2.85± kg	Aluminium Anodized-Cerakote Coating, Camouflage, Elegant	Synthetic, Turkish Luxry Walnut, Camouflage	4+1 / 9+1	Trigger Safety	Reinforced Polymer	Trigger Safety, Automatic Locking System, Anti-Repeat System	Truglo Fiber Optic Sight	Special Polyurethane Pad



Inter Super Magnum Timber Bronze



Redstone Super Magnum Bottomland



Inter Super Magnum Extra Black



Redstone Super Magnum Extra Black



Inter Super Magnum Camo Max5



Redstone Super Magnum Timber



Caliber
12 GA 3,5"

Chamber
89 mm

Action
Kinetic Drive Inertial System Semiautomatic, Rotating Bolt

Barrel Length
61-66-71-76 cm

Barrel
Chrome-Lined, 4140 Steel Inter Bored Barrel

Choke	Rib	Stock Length	Weight	Receiver Options	Stock-Forend	Magazine Capacity	Safety	Trigger Guard	Trigger	Sight	Recoil Pad
5 Pcs 7 cm InterPro Chokes C-IC-M-IM-F	8 mm High Rib	340 mm	2.85± kg	Aluminium Anodized-Cerakote Coating, Camouflage, Elegant	Synthetic, Turkish Luxry Walnut, Camouflage	2+1	Trigger Safety	Reinforced Polymer	Trigger Safety, Automatic Locking System, Anti-Repeat System	Truglo Fiber Optic Sight	Special Polyurethane Pad



ASK 22



ASK 22 Black



ASK 22 Bronze



ASK 22 Silver



ASK 22 Tempered



ASK 23 Black



ASK 23 Bronze



ASK 23 Silver



ASK 23 Tempered

Caliber 12 GA 3"	Chamber 76 mm	Extraction System (ASK-23) Automatic Ejector	Extraction System (ASK-22) Extractor	Barrel Length 61-66-71-76 cm	Barrel Chrome-Lined, 4140 Steel Inter Bored Barrel
---------------------	------------------	---	---	---------------------------------	---



Choke 5 Pcs 7 cm InterPro Chokes C-IC-M-IM-F	Rib 8 mm	Stock Length 340 mm	Weight 2.00± kg	Receiver Options 4140 Forged Steel/ Chrome Coated Black, Silver, Bronze, Tempered Colours	Stock-Forend Turkish Luxury Walnut	Magazine Capacity 2 (O/U)	Safety Trigger Safety	Trigger Guard Steel	Trigger Single Selective O/U Colour Options: Silver-Black-Gold	Sight Fiberoptic Rear Sight	Recoil Pad Special Polyurethane Pad
--	-------------	------------------------	--------------------	---	---------------------------------------	---------------------------------	--------------------------	------------------------	--	--------------------------------	---

TACTICAL

SEMIAUTOMATIC



ASK 12 Khaki Green



IT1 Extra Black



ASK 12 Desert



IT1-G Bottomland Bronze



ASK 12 Black



IT1-G Extra Black



Chrome-Lined, 4140 Steel Inter Bored Barrel

Barrel

**Barrel Length
61-66-71-76 cm**

Action (ASK 12) GAS OPERATED
Action (IT1) Kinetic Drive Inertial System Semiautomatic, Rotating Bolt

**Chamber
76 mm**

**Caliber
12 GA 3"**

Model	Choke	Rib	Stock Length	Weight	Receiver	Stock -Forend	Magazine Capacity	Safety	Trigger Guard	Trigger	Sight	Recoil Pad
ASK 12	1 InterPro C	22 Picatinny	340 mm	4.00± kg	7075-T6 Aluminum Alloy Cerakote Coating	Pistol Grip Composite Plastic	2+1, 5+1, 10+1	Trigger Safety	Special Polyurethane	Trigger Safety, Automatic Locking System, Anti-Repeat System	Adjustable Folding Sight	Special Polyurethane Pad
IT1	1 InterPro C	Tactical	340 mm	2.85± kg	Aluminium Anodized/Cerakote Coating / Camouflage	Synthetic Standard Stock, Pistol Grip, Camouflage	4+1x12/76	Trigger Safety	Special Polyurethane	Trigger Safety, Automatic Locking System, Anti-Repeat System	Tactical Sight, Ghost Ring Rear Sight	Special Polyurethane Pad



S3 Extra Black



S3-GT Extra Black



S3-G Extra Black



S3-GT Nato Green



S3-G Titanium



S3-GT Sandstorm

Caliber
12 GA 3"

Chamber
76 mm

Barrel
Chrome-Lined, 4140 Steel Inter Bored Barrel

Barrel Length
47 cm

Action
Hybrid System - Pump Action

Choke	Rib	Stock Length	Weight	Receiver	Stock -Forend	Magazine Capacity	Safety	Trigger Guard	Trigger	Sight	Recoil Pad
1 InterPro C	Tactical	Sythetic Standard, Pistol Grip, Telescopic -Adjustable	3.55± kg	Aluminium Anodized/Cerakote Coating	Tactical Telescopic	5+1 / 7+1 x 12/76	Trigger Safety	Special Polyurethane	Trigger Safety, Automatic Locking System, Anti-Repeat System	Tactical Sight, Ghost Ring Rear Sight	Special Polyurethane Pad



S4 Extra Black



S4-GT Extra Black



S4-G Extra Black



S4-GT Nato Green



S4-G Titanium



S4-GT Sandstorm



Action
Hybrid System, Twin Piston Gas Operated

Barrel
Chrome-Lined, 4140 Steel Inter Bored Barrel

Barrel Length
47 cm

Chamber
76 mm

Caliber
12 GA 3"

Choke	Rib	Stock Length	Weight	Receiver	Stock -Forend	Magazine Capacity	Safety	Trigger Guard	Trigger	Sight	Recoil Pad
1 InterPro C	Tactical	340 mm	3.55± kg	Aluminium Anodized/Cerakote Coating	Synthetic Standard, Pistol Grip, Telescopic - Adjustable	5+1 / 7+1 x 12/76	Trigger Safety	Special Polyurethane	Trigger Safety, Automatic Locking System, Anti-Repeat System	Tactical Sight, Ghost Ring Rear Sight	Special Polyurethane Pad

PRO PCP AIR RIFLES EMPERADOR SERIES



EMPERADOR LS1



EMPERADOR LS2



EMPERADOR LS3



EMPERADOR LS4



Caliber 4.5 mm / .177 cal | 940 FPS | 24 J

Caliber 5.5 mm / .22 cal | 910 FPS | 41 J

Caliber 6.35 mm / .25 cal | 890 FPS | 61 J



Model	Caliber	Regulator	Regulator Volume	Muzzle Output Speed (FPS)	Power (Joule)	Magazine Capacity	Tube Volume	Filling Pressure Max.	Number Of Shot	Stock	Total Length	Barrel Length	Type of Barrel	Twist Rate	Weight	Scope Rail	Replacement Magazine	Colour Option	Case
EMPERADOR LS SERIES	4.5 mm / .177 cal	Regulated	22 cc	940 FPS	24 J	22	260 cc	200 bar	90	Tactical Foldable-Adjustable, Turkish Luxury Walnut	1020 mm (40.15)	580 mm	Rifled	1:15	3520 gr (7.76 lbs)	11 mm Dovetail Rail	Yes	Matte Black / Glossy Black	Plastic Hardcase
	5.5 mm / .22 cal			910 FPS	41 J	18			80		1020 mm (40.15)								
	6.35 mm / .25 cal			890 FPS	61 J	15			65		1020 mm (40.15)								

PCP AIR RIFLES MX SERIES



MX8 Black



MX9



MX8 Camo Max5



MX7 Black



MX10 Black



MX5 Wood



Ravello RX5



Caliber 4.5 mm / .177 cal | 850/900 FPS | 35 J

Caliber 5.5 mm / .22 cal | 850/970 FPS | 52 J

Caliber 6.35 mm / .25 cal | 840/890 FPS | 62 J

Model	Caliber	Regulator	Muzzle Output Speed (FPS)	Power (Joule)	Magazine Capacity	Tube Volume	Filling Pressure Max.	Number Of Shot	Stock	Barrel Length	Type of Barrel	Twist Rate	Weight	Scope Rail	Replacement Magazine	Colour Option	Case
MX Series	4.5 mm / .177 cal	Optional	850/900 FPS	35 J	14	Slender Tube: 320 cc Balloon Tube: 500cc	200 bar	90	Turkish Luxry Walnut Turkish Luxry, Stynthetic	550mm	Rifled	1:15	3250 gr (7.16 lbs)	22 mm Picatinny Rail	Yes	Matte Black / Glossy Balck	Plastic Hardcase
	5.5 mm / .22 cal		850/970 FPS	52 J	12		200 bar	80									
	6.35 mm / .25 cal		840/890 FPS	62 J	10		200 bar	65									

BREAK BARREL AIR RIFLE
RX 1250



RX1250 Black



RX1250 Camo Max5

System **Gas Piston / Spring Piston (optional)**

Caliber **4.5 mm / .177 cal** | **750 FPS** | **<24 J**

Caliber **5.5 mm / .22 cal** | **650 FPS** | **<20 J**



Model	Caliber	Muzzle Output Speed (FPS)	Power (Joule)	Stock	Total Length	Barrel Length	Type of Barrel	Twist Rate	Weight	Scope Rail	Replacement Magazine	Colour Option	Case
RX1250	4.5 mm / .177 cal 5.5 mm / .22 cal	750 FPS 650 FPS	<20 J	Synthetic, Camouflage	1100 mm (43.30)	450 mm	Rifled	1:15	2655 gr	11 mm Dovetail Rail	No	Matte Black Camo Max5	Cardboard Box

THE MOST **COMFORT** **POWER**



www.aselkonarms.com



the most
COMFORT POWER



Büyükayacak O.S.B. 516 Nolu Sk. No:191/19- Konya/TÜRKİYE

Telephone: +90 332 342 26 12 / +90 332 342 40 04

E-Mail: exportexecutive@aselkon.com.tr

www.aselkonarms.com



SCAN TO DOWNLOAD
**GENERAL
CATALOGUE**