



DEFENCE
SERIES

www.asekonarms.com



We, ASELKON AŞ, are a well established international company that manufactures and exports Hunting, Sporting, and Tactical Military Purpose Shotguns, Pistols, PCP Air Rifles and all spare parts of firearms in accordance with internationally accepted standards, especially to ATF and CIP proof tests, and Country-Specific Firearms Compliance Regulations. We've been actively operating in the firearms sector since 2006 with our vast experience in manufacturing and exporting to more than 50 countries. Our products are highly appreciated in many leading markets in the world.

Thanks to our 40.000 m² fully integrated production facility, with our dynamic, productive and experienced technical staff, we manufacture every parts of guns from raw material to final product in our own facilities without depending on any external factor. In

this way, in every stage of production we manage our quality control perfectly and provide a high level of quality assurance.

As well as our major operations in international markets, we continue to cooperate with government and military forces in delivering diverse projects regarding armored vehicles, missile launcher platforms, crane – machinery and construction industry.

As being one of the leading manufacturers in firearms industry, we constantly improve our product and service quality with the concepts of high automation and flexibility in order to provide better quality products and effective solutions for the needs customers. We always aim the best in quality and increase the customer satisfaction.

04-07



AS-P9

08-13



HAN-9

08-13



HAN-9_m

14-17



ASK-37 RGL

18-29



**S3 MODELS
HYBRID**

30-41



**S4 MODELS
HYBRID**



AS-P9

ASELKON AS-P9 PISTOL designed and produced by Aselkon Defence applying the latest manufacturing technologies, is an ergonomic, practical new generation 9X19 mm semi-automatic pistol.


The picatinny rail at the bottom of the barrel allow the attachment and use of all type of pistol accessories. Working with the recoil operated auto loading system, it has a stable and accurate shooting capability, and standing out with its reinforced polymer grip, light, practical and deterrent characteristics.



Caliber	9x19 mm
Operation Principle	Blowback (Recoil operation)
Ammunition Feeding	Magazine Fed
Magazine Capacity	15 Rounds
Action	Semiautomatic
Muzzle Output Speed	360 m/s
Length	197 mm
Height	142 mm
Width	31.5 mm


Distance Between Sights	142 mm
Barrel Lenght	4"
Twist Rate, Number of Grooves	1:10" , Clockwise 6 Grooves
Trigger Pull (~)	2,5 Kg/F - SA
Safety System	Trigger Safety, Magazine Safety, Firing Pin Safety, Safety Latch
Effective Range	100 m
Weight	800 Gr.
Loaded Weight (Magazine Full)	890 Gr.

AS-P9



Chamber Loaded Indicator

AS-P9



HAN-9

MACHINE PISTOL



HAN-9



HAN-9m



ASELKON HAN-9 MACHINE PISTOL designed and produced by Aselkon Defence applying the latest manufacturing technologies, is an ergonomic, practical, domestic and national new generation 9X19 mm semi-automatic machine pistol.

The picatinny rail and M-lock connections on the upper receiver, side and bottom of the barrel allow the attachment and use of the needed accessories. Working with the recoil operated auto loading system, it has a stable and accurate shooting capability, and standing out with the aluminum alloy bottom and top parts, light, practical and deterrent characteristics.

Caliber	9x19 mm
Operation Principle	Blowback (Recoil operation)
Ammunition Feeding	Magazine Fed
Action	Semiautomatic
Muzzle Output Speed	400 m/s
Length	343 mm./570mm stock closed
	646 mm stock extended
Height	194mm without magazine
	226 mm. With magazine
Width	58,4 mm

Magazine Capacity	15-30 Rounds (Han-9)
	30 Rounds (Han-9m)
Distance Between Sights	142 mm
Barrel Lenght	6,5"
Twist Rate, Number of Grooves	1:10" , Clockwise 6 Grooves
Trigger Pull (~)	2,5 Kg/F - SA
Cocking Force	6.5 Kg/f
Effective Range	150 m
Weight	2100 Gr.
Loaded Weight (Magazine Full	2650 Gr.



The magazine release latch and the mechanism release buttons can be operated easily with the shooting hand.

Telescopic Adjustable – Detachable Stock by picatinny rail mount.

The magazine release latch and the bolt release buttons can be operated easily with the shooting hand.

Made of 32 CrMoV12-10 optional forging or reinforced material, high strength and corrosion resistant.

Mp5 style muzzle connection tabs on the tip of the muzzle, and 1/2 28 type threads for attaching silencer.

Accurate shooting with 6,5" melonite coated barrel.

M-lock slots on the top, bottom and sides and picatinny rails, it allows the attachment and use of additional tactical equipments.

Easy to use and carry thanks to its light aluminum alloy body it has an ergonomic and handy structure.

Designed in two versions enabling to use all magazines used with 9 mm Glock Pistols and 9 mm MP5-SP5-AP5 Machine Pistols.

Provides safe and stable operation thanks to the box trigger system

The safety latch can be changed to the right or left depending on the user's preference.

Adjustable cheek riser





HAN-9



HAN-9_m



ASK-37 RGL



ASK-37 RGL Grenade Launcher

Aselkon ASK-37 RGL anti-riot grenade launcher has been designed to fire 38 mm gas cartridges to be used by law enforcement forces or military for riot control. Aselkon has analyzed superior features of the known anti-riot grenade launchers and created the ergonomic and user-friendly ASK-37 RGL comprising andThe picatinny rail and

M-lock connections on the upper receiver, side and bottom of the barrel allow the attachment and use of the needed accessories. Working with the breech loading system, it has a stable and accurate shooting capability, and standing out with the aluminum alloy bottom and top parts, light, practical and deterrent characteristics.

Caliber	38 mm
Action	Single Break Action
Capacity	Single Shot Breech loading System
Safety	Mechanical Safety Lock
Overall Length	686 mm stock closed
	766 mm stock extended
Length Without Stock	480 mm
Stock	Telescopic Adjustable– Detachable

Barrel And Receiver Material	4140 steel, 7012 Alum inium
Barrel Len ght	316 mm
Trigger Pull Force(~)	46 Newton
Cocking Force	6.5 Kgif
Effective Range	100 m I Depends on ammunition type
Weight	3.00 ±Kg (Steel Material)
	2.6±Kg.(Aluminium Material)
Rate of Fire/Minute	8-10 Rounds

ASK-37 RGL



ADJUSTABLE CHEEK RISER

Comfortable aiming with adjustable cheek riser.

ADJUSTABLE- DETACHABLE STOCK

Telescopic stock that can be easily detached thanks to the lever at the top of the receiver. This feature gives advantage of carrying and firing without telescopic stock in narrow places like the interior of armored vehicles

FOLDING SIGHT

ASK-37 is equipped as standard with Front and Rear Folding Sight System that is adjustable in windage and elevation and protected by side lugs in heat-treated steel.

PICATINNY RAIL

Possible to fit all types of targeting device (from optical sights to red dot sights, light intensifiers etc.). The new forearm with multi rail system allows the mount of mini-rails (12-slots) all over at 3/6/9/12o'clock.

38 MM BORE BARREL

We engineered ASK - 37 RGL to maximize the constancy of shot and eable to use all tyepe of 38 mm grenade and tear gas shells

EASY LOAD- SINGLESHOT

Quick loading/unloading both for right- or left-handed user

DURABLE POLYMER GRIP

High Resistance against heat or impacts in the operational environments.

COMFORT RECOIL

The recoil pad is designed for comfort and fast shouldering with high tech microcell material.



S3

MODELS
HYBRID

We are aware of how difficult the job of law enforcement officers is and how confident they must be in the product they are using.

Aselkon's new pump model **S3** fully meets your needs and provides you with full security while you are on duty.

H Y B R I D



S3 HYBRID SYSTEM

S3 is a pump action: S3 is one of the best possible choice for any operational or defense requirement. This is thanks to its flexible use (lethal and less than lethal ammos), easy handling, precision and high firing volume.


The interchangeable stocks-fixed drop, variable drop and pistol grip-only increase the versatility of this weapon.



HYBRID SYSTEM

ROTATING BOLT TECHNOLOGY

Ultra reliable, Safe and Fast
Locking System



HYBRID SYSTEM





COMFORT RECOIL

The recoil pad is designed for comfort and fast shouldering with high tech microcell material. It's not only a shotgun, it's an experience.

GHOST RING SIGHT OPTIC FIBRE

The S3 Hybrid is equipped as standard with a Ghost Ring Sight that is adjustable in windage and elevation and protected by side lugs in heat-treated steel. (Optic fibre dots, 1 red in front and 2 green in rear).

PICATINNY RAIL

Possible to fit all types of targeting device (from optical sights to red dot sights, light intensifiers etc.). The new forearm with multi rail system allows the mount of mini-rails (5-slots) all over at 3/6/9/12 o'clock.

1500 BAR

Each Inter barrel is subjected to a proof test with 1500 BAR high pressure test cartridge before leaving our factory.

OPTIC FIBRE

EASY LOAD

The receiver is fitted with a generously sized charging handle and bolt release as well as a beveled loading port with an outward angled cartridge drop lever insuring the inter is easy to operate even with gloved hands.



BALANCED

The Inter Arms comes standard with our precision drilled Interbored barrel. The barrel is designed to shoot comfortably and pattern superbly with both light and heavy loads.

EXTRA RAIL

The new forearm with multi rail system allows the mount of mini-rails (5-slots) all over at 3/6/9/12 o'clock.

INTER PLUS CHOKE


















We engineered the interchangeable InterPro Chokes to maximize the constancy of shot placement through reduced friction that enhances load speeds.



S3-GT-EXTRA BLACK



S3-G-EXTRA BLACK

	 Gauge	 Chamber	 Action	 Choke	 Barrel length	 Rib	 Stock length	 Forend		 Stock	 Receiver	 Recoil Pad	 Magazine Capacity	 Safety	 Trigger	 Trigger Guard	 Weight	 Sight
S3-Extra Black	12 - 3 inc	76 mm	Tactical	1 InterPro C	47 cm	Tactical	Adjustable	Synthetic		Synthetic	Aluminum Anodized Cerakote coating	Special polyurethane	5+1 / 7+1 x 12/76	Trigger safety	Trigger safety, Automatic locking system, Anti-repellent system	Special polyurethane	3.55± kg	Tactical sight style
S3-G-Extra Black	12 - 3 inc	76 mm	Tactical	1 InterPro C	47 cm	Tactical	Adjustable	Synthetic		Synthetic	Aluminum Anodized Cerakote coating	Special polyurethane	5+1 / 7+1 x 12/76	Trigger safety	Trigger safety, Automatic locking system, Anti-repeat system	Special polyurethane	3.55± kg	Tactical sight style



S3 EXTRA BLACK




















S3-G TITANIUM



S3-GT NATO GREEN



S3-GT SANDSTORM

	 Gauge	 Chamber	 Action	 Choke	 Barrel length	 Rib	 Stock length	 Forend		 Stock	 Receiver	 Recoil Pad	 Magazine Capacity	 Safety	 Trigger	 Trigger Guard	 Weight	 Sight
S3-GT-Extra Black	12 - 3 inc	76 mm	Tactical	1 InterPro C	47 cm	Tactical	Adjustable	Synthetic		Synthetic	Aluminum Anodized Cerakote coating	Special polyurethane	5+1 / 7+1 x 12/76	Trigger safety	Trigger safety, Automatic locking system, Anti-repellent system	Special polyurethane	3.55± kg	Tactical sight style
S3-G-Titanium	12 - 3 inc	76 mm	Tactical	1 InterPro C	47 cm	Tactical	Adjustable	Synthetic		Synthetic	Aluminum Anodized Cerakote coating	Special polyurethane	5+1 / 7+1 x 12/76	Trigger safety	Trigger safety, Automatic locking system, Anti-repeat system	Special polyurethane	3.55± kg	Tactical sight style
S3-GT Nato Green	12 - 3 inc	76 mm	Tactical	1 InterPro C	47 cm	Tactical	Adjustable	Synthetic		Synthetic	Aluminum Anodized Cerakote coating	Special polyurethane	5+1 / 7+1 x 12/76	Trigger safety	Trigger safety, Automatic locking system, Anti-repeat system	Special polyurethane	3.55± kg	Tactical sight style
S3-GT Sandstorm	12 - 3 inc	76 mm	Tactical	1 InterPro C	47 cm	Tactical	Adjustable	Synthetic		Synthetic	Aluminum Anodized Cerakote coating	Special polyurethane	5+1 / 7+1 x 12/76	Trigger safety	Trigger safety, Automatic locking system, Anti-repeat system	Special polyurethane	3.55± kg	Tactical sight style



S4

MODELS
HYBRID

We are aware of how difficult the job of law enforcement officers is and how confident they must be in the product they are using.


Aselkon's new model **S4 HYBRID** fully meets your needs and provides you with full security while you are on duty.

HYBRID SYSTEM



SELF CLEANING DOUBLE PISTON

The pistons are required to move only 1/2" for complete cycling which results in a faster operation with minimum vibration and quick target acquisition.



Gas powered automatic system. It consists of a self-regulating gas system with a short-stroke piston. It is placed at the bottom of the chamber, near the chamber, to use the hottest gases at a higher pressure.

Gases exiting the barrel expand (in the self-adjusting gas system) and rapidly accelerate the stroke of the piston, which simultaneously strikes the bolt follower pin and pushes it hard enough to cause it to retract. The gas inlet valve is self-regulating as it acts as a regulating valve that expels excess gas during ignition.


The larger the volume of gas flowing through the barrel, the faster the pin valve opens and lets it out, thereby reducing the pressure inside. Self-adjusting, it guarantees shooting accuracy, reliability, durability and certifies Aselkon's technological excellence.

HYBRID SYSTEM



ROTATING BOLT TECHNOLOGY

Ultra reliable, Safe and Fast
Locking System



S4 HYBRID SYSTEM



COMFORT RECOIL

The recoil pad is designed for comfort and fast shouldering with high tech microcell material. It's not only a shotgun, it's an experience.

GHOST RING SIGHT OPTIC FIBRE

The S4 Hybrid is equipped as standard with a Ghost Ring Sight that is adjustable in windage and elevation and protected by side lugs in heat-treated steel. (Optic fibre dots, 1 red in front and 2 green in rear).


PICATINNY RAIL

Possible to fit all types of targeting device (from optical sights to red dot sights, light intensifiers etc.). The new forearm with multi rail system allows the mount of mini-rails (5-slots) all over at 3/6/9/12 o'clock.

1500 BAR


Each Inter barrel is subjected to a proof test with 1500 BAR high pressure test cartridge before leaving our factory.

OPTIC FIBRE



INTER PLUS CHOKE

We engineered the interchangeable InterPro Chokes to maximize the constancy of shot placement through reduced friction that enhances load speeds.



INTER BALANCED

The Inter Arms comes standard with our precision drilled Interbored barrel. The barrel is designed to shoot comfortably and pattern superbly with both light and heavy loads.

EASY LOAD


















The receiver is fitted with a generously sized charging handle and bolt release as well as a beveled loading port with an outward angled cartridge drop lever insuring the inter is easy to operate even with gloved hands.



S4-GT-EXTRA BLACK



S4-G-EXTRA BLACK

	 Gauge	 Chamber	 Action	 Choke	 Barrel length	 Rib	 Stock length	 Forend		 Stock	 Receiver	 Recoil Pad	 Magazine Capacity	 Safety	 Trigger	 Trigger Guard	 Weight	 Sight
S4-G-Extra Black	12 - 3 inc	76 mm	Semi-Auto (Piston Driven Gas Operated)	1 InterPro C	47 cm	Tactical	Adjustable	Synthetic		Synthetic	Aluminum Anodized Cerakote coating	Special polyurethane	5+1 / 7+1 x 12/76	Trigger safety	Trigger safety, Automatic locking system, Anti-repeat system	Special polyurethane	3.55± kg	Tactical sight style
S4-GT-Extra Black	12 - 3 inc	76 mm	Semi-Auto (Piston Driven Gas Operated)	1 InterPro C	47 cm	Tactical	Adjustable	Synthetic		Synthetic	Aluminum Anodized Cerakote coating	Special polyurethane	5+1 / 7+1 x 12/76	Trigger safety	Trigger safety, Automatic locking system, Anti-repeat system	Special polyurethane	3.55± kg	Tactical sight style



S4 EXTRA BLACK




















S4-G NATO GREEN



S4-G TITANIUM



S4-G SANDSTORM


																		
	Gauge	Chamber	Action	Choke	Barrel length	Rib	Stock length	Forend		Stock	Receiver	Recoil Pad	Magazine Capacity	Safety	Trigger	Trigger Guard	Weight	Sight
S4 Extra Black	12 - 3 inc	76 mm	Semi-Auto (Piston Driven Gas Operated)	1 InterPro C	47 cm	Tactical	Adjustable	Synthetic		Synthetic	Aluminum Anodized Cerakote coating	Special polyurethane	5+1 / 7+1 x 12/76	Trigger safety	Trigger safety, Automatic locking system, Anti-repeat system	Special polyurethane	3.55± kg	Tactical sight style
S4-G Titanium	12 - 3 inc	76 mm	Semi-Auto (Piston Driven Gas Operated)	1 InterPro C	47 cm	Tactical	Adjustable	Synthetic		Synthetic	Aluminum Anodized Cerakote coating	Special polyurethane	5+1 / 7+1 x 12/76	Trigger safety	Trigger safety, Automatic locking system, Anti-repeat system	Special polyurethane	3.55± kg	Tactical sight style
S4-G Titanium	12 - 3 inc	76 mm	Semi-Auto (Piston Driven Gas Operated)	1 InterPro C	47 cm	Tactical	Adjustable	Synthetic		Synthetic	Aluminum Anodized Cerakote coating	Special polyurethane	5+1 / 7+1 x 12/76	Trigger safety	Trigger safety, Automatic locking system, Anti-repeat system	Special polyurethane	3.55± kg	Tactical sight style
S4-G Nato Green	12 - 3 inc	76 mm	Semi-Auto (Piston Driven Gas Operated)	1 InterPro C	47 cm	Tactical	Adjustable	Synthetic		Synthetic	Aluminum Anodized Cerakote coating	Special polyurethane	5+1 / 7+1 x 12/76	Trigger safety	Trigger safety, Automatic locking system, Anti-repeat system	Special polyurethane	3.55± kg	Tactical sight style
S4-G Sandstorm	12 - 3 inc	76 mm	Semi-Auto (Piston Driven Gas Operated)	1 InterPro C	47 cm	Tactical	Adjustable	Synthetic		Synthetic	Aluminum Anodized Cerakote coating	Special polyurethane	5+1 / 7+1 x 12/76	Trigger safety	Trigger safety, Automatic locking system, Anti-repeat system	Special polyurethane	3.55± kg	Tactical sight style



S3 GT TELESCOPIC LOOKING
FIXED STOCK
*FOR USA



S3 GT ADJUSTABLE
TELESCOPIC STOCK
*FOR CANADA



S3 G PISTOL GRIP STOCK
*FOR CANADA AND USA



S3 STANDARD STOCK



INT MSK 01



INT MSK 02



INT MSK 03



INT MSK 04



INT MSK 05



INT ANT 01



INT FYS 02



INT PLS 02



INT PLS 03



INT PLS 04



INT PLS 05



INT SAC 04



www.aselkonarms.com



Büyükayacak O.S.B. 516 Nolu Sk. No:19-19/1 KONYA / TÜRKİYE

Telephone : +90 332 342 26 12 / +90 332 342 40 04 / Mobile: +90 532 136 08 96 / Mobile Export : +90 532 297 56 93 E-Mail : info@aselkon.com.tr / export@aselkon.com.tr